

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

**AMENDMENTS TO THE CLAIMS:**

The listing of claims replaces all prior versions and listings of claims in the application:

**LISTING OF THE CLAIMS**

1. (Currently Amended) An abstraction layer for a database containing database records each including a plurality of fields stored in one or more tables, the fields being associated with each associated record by a key disposed in at least one key column of each of the one or more tables, the abstraction layer comprising:

a key column identifier table that identifies the at least one key column; and  
one or more metadata tables containing metadata relating to the database, the  
one or more metadata tables including at least:

a controls table containing control records corresponding to fields of the  
database, the control record for each field including at least a control key  
associating the control record with the field and at least one metadatum  
corresponding to the field, wherein functionality of the database can be  
selectively extended by modification of the controls table;

wherein the abstraction layer is separate from the database, and the abstraction  
layer provides a database an interface to the database substantially  
independent of an underlying model and functionality of the database thereby  
providing extensible functionality for the database separate from the  
underlying model and functionality of the database.

2. (Original) The abstraction layer as set forth in claim 1, wherein the at least one metadatum of at least one control record includes a datatype index value indicative of a datatype of the corresponding field, and the one or more metadata tables further include:

a datatypes table associating a plurality of datatype indices with datatypes.

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

3. (Original) The abstraction layer as set forth in claim 2, wherein the datatypes of the datatypes table are selected from a group including: a character datatype, a numeric datatype, a text data type, a date data type, a time datatype, and a timestamp datatype.

4. (Original) The abstraction layer as set forth in claim 2, wherein the one or more metadata tables further include:

an operators table associating a database operation with a database type index value and with a corresponding display operator.

5. (Original) The abstraction layer as set forth in claim 4, wherein the operators table further associates the database operation with a corresponding second display operator, and the operators table further includes:

a language field associating a different language with each of the corresponding display operator and the corresponding second display operator, whereby the database operation has associated therewith display operators in at least two different languages.

6. (Original) The abstraction layer as set forth in claim 2, wherein the datatype index value indicates that the corresponding field is numeric, and the at least one metadatum further includes:

a sub-datatype index value indicative of a type of numeric value of the corresponding field, the sub-datatype index value being selected from a group including at least integer and floating-point numeric value types.

7. (Original) The abstraction layer as set forth in claim 1, wherein the one or more tables includes at least two tables, and the control record for each field further includes a table name that in combination with the control key associates the control record with the field.

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

8. (Original) The abstraction layer as set forth in claim 7, wherein the one or more metadata tables further include:

a category table associating each of the at least two tables with one or more table characteristics.

9. (Previously Presented) The abstraction layer as set forth in claim 1, wherein the at least one metadatum of at least one control record includes a search flag indicative of a type of searching executable on the corresponding field.

10. (Original) The abstraction layer as set forth in claim 9, wherein the search flag has a value indicating that the corresponding field is searchable by a text search, and the at least one metadatum further includes:

a text search field region identifier indicating a portion of the corresponding field that is searchable by the text search.

11. (Original) The abstraction layer as set forth in claim 9, wherein the search flag has a value indicating that the corresponding field is searchable by an SQL query, and the at least one metadatum further includes:

at least one SQL query format indicator indicative of an allowable SQL query format.

12. (Original) The abstraction layer as set forth in claim 9, wherein the at least one metadatum further includes:

a case-sensitivity indicator that indicates whether searching on the corresponding field is case-sensitive.

13. (Original) The abstraction layer as set forth in claim 1, wherein the at least one metadatum of at least one control record includes a sort flag identifying whether sorting can be done on the corresponding field.

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

14. (Original) The abstraction layer as set forth in claim 1, wherein the at least one metadatum of at least one control record includes a display flag identifying whether the corresponding field is displayable.

15. (Original) The abstraction layer as set forth in claim 1, wherein the one or more metadata tables further includes:

a displayable table associating a plurality of display names with a field of the database through the control key of the controls table, the plurality of display names each corresponding to a different language whereby the display name is multilingual.

16. (Original) The abstraction layer as set forth in claim 1, wherein the one or more metadata tables further includes:

a syntax table associating syntactically valid inputs with a field of the database through the control key of the control record corresponding to the field.

17. (Original) The abstraction layer as set forth in claim 16, wherein the at least one metadatum further includes:

a picklist flag indicating whether the entries of the syntax table are displayable as selections of an input of a GUI dialog box.

18. (Original) The abstraction layer as set forth in claim 1, wherein the one or more metadata tables further includes:

an aliases table associating alias names with fields of the database through the control key of the control record corresponding to the field.

19. (Original) The abstraction layer as set forth in claim 18, wherein the aliases table associates a plurality of alias names with at least one field of the database, each of the plurality of alias names having a language parameter associated therewith.

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

20. (Original) The abstraction layer as set forth in claim 1, wherein the one or more metadata tables further includes:

a patterns table associating one or more search patterns with a field of the database through the control key of the control record corresponding to the field.

21. (Currently Amended) A method for accessing a database containing database records each including a plurality of fields stored in one or more tables, the fields being associated with each associated record by a key disposed in at least one key column of each of the one or more tables, the method comprising:

formulating a database access command using metadata related to the database contained in an abstraction layer separate from the database, the abstraction layer including a key column identifier table that identifies the at least one key column, and the metadata for each database field being accessible using an abstraction layer control record associated with the corresponding database field; and executing the formulated database access command to access the database, the abstraction layer providing a database an interface to the database substantially independent of an underlying model and functionality of the database; and  
providing extensible functionality for the database separate from the underlying model and functionality of the database, wherein the extended functionality can be effected by selective modification of the control record.

22. (Original) The method as set forth in claim 21, wherein the abstraction layer includes at least one translation table that includes equivalent text in a plurality of languages associated with at least one database field, the formulating of the database access command including:

accessing the abstraction layer using a key that includes at least a field identifier and a language selection to retrieve the equivalent text in the selected

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

language.

23. (Original) The method as set forth in claim 22, wherein the key further includes:

a database access operator, the equivalent text being a displayable name for the database access operator.

24. (Original) The method as set forth in claim 21, wherein the abstraction layer includes:

a controls table containing the control records of the database fields, each control record including a field key; and  
at least one metadata table containing records corresponding to database fields and linked to the control record by the field key.

25. (Original) The method as set forth in claim 21, wherein the abstraction layer includes:

a controls table containing the control records of the database fields, each control record including at least one index metadatum; and  
at least one additional metadata table containing indexed metadata associable with database fields by the at least one index metadatum of the control records.

26. (Previously Presented) The method as set forth in claim 21, further comprising:

executing a user application program, the formulating of a database access command being performed as an operation of the executing user application program.

27. (Currently Amended) An article of manufacture comprising one or

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

more program storage media readable by a computer and embodying at least an abstraction layer for facilitating accessing a database containing database records each including a plurality of fields stored in one or more tables, the fields being associated with each associated record by a key disposed in at least one key column of each of the one or more tables, the abstraction layer including:

a key column identifier table that identifies the at least one key column;  
a control table containing control records corresponding to database fields, each control record containing metadata associated with the corresponding database field, wherein functionality of the database can be selectively extended by modification of the control table, and  
at least one additional table containing additional metadata, each database field being selectively associated with one or more selected portions of the additional metadata through metadata contained in the control record corresponding to the database field;  
wherein the abstraction layer is separate from the database, and the abstraction layer provides a database an interface to the database substantially independent of an underlying model and functionality of the database thereby providing extensible functionality for the database separate from the underlying model and functionality of the database.

28. (Original) The article of manufacture as set forth in claim 27, wherein the article of manufacture further embodies one or more instructions executable by the computer to perform a method for accessing the database, the method including:

formulating a database access command; and  
during the formulating, accessing an abstraction layer to identify at least one constraint on the database access command.

29. (Original) The article of manufacture as set forth in claim 28, wherein the identified constraint on the database access command is selected from a group

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

consisting of: a text string in a selected language that is incorporated into the database access command, a datatype constraint, a search pattern, a search constraint, a sorting constraint, and a display constraint.

30. (Original) The article of manufacture as set forth in claim 28, wherein the article of manufacture further embodies a user application program executable by the computer, the executing user application program being operatively linked with the method for accessing the database.

31. (Previously Presented) The abstraction layer as set forth in claim 1, wherein said extensible functionality for the database provided by the abstraction layer includes:

one or more modifiable metadata tables containing metadata relating to the database, the one or more modifiable metadata tables including at least: a modifiable controls table containing control records corresponding to fields of the database, the control record for each field including at least a control key associating the control record with the field and at least one metadatum corresponding to the field, wherein the modifiable controls table can be modified to provide different or additional metadata for selectively extending the functionality of said database interface.

32. (Previously Presented) The abstraction layer as set forth in claim 31, wherein said one or more modifiable metadata tables includes at least one of:

a modifiable datatypes table associating a plurality of datatype indices with datatypes;

a modifiable operators table associating a database operation with a database type index value and with a corresponding display operator;

a modifiable displayable table associating a plurality of display names with a field of the database through the control key of the controls table, the plurality of

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

display names each corresponding to a different language whereby the display name is multilingual; and

a modifiable exchange rate table providing for conversion of monetary units for multilingual users.

33. (Previously Presented) The method as set forth in claim 21, wherein said providing extensible functionality for the database provided by the abstraction layer includes:

providing one or more modifiable metadata tables containing metadata relating to the database, the one or more modifiable metadata tables including at least one of:

a modifiable controls table containing control records corresponding to fields of the database, the control record for each field including at least a control key associating the control record with the field and at least one metadatum corresponding to the field, wherein the modifiable controls table can be modified to provide different or additional metadata for selectively extending the functionality of said database interface;

a modifiable datatypes table associating a plurality of datatype indices with datatypes;

a modifiable operators table associating a database operation with a database type index value and with a corresponding display operator;

a modifiable displayable table associating a plurality of display names with a field of the database through the control key of the controls table, the plurality of display names each corresponding to a different language whereby the display name is multilingual; and

a modifiable exchange rate table providing for conversion of monetary units for multilingual users.

Application No. 10/626,273  
Amendment dated November 17, 2006  
Reply to Office Action of August 22, 2006

34. (Previously Presented) The article of manufacturing as set forth in claim 27, wherein said extensible functionality for the database provided by the abstraction layer includes:

one or more modifiable metadata tables containing metadata relating to the database, the one or more modifiable metadata tables including at least one of:

- a modifiable controls table containing control records corresponding to fields of the database, the control record for each field including at least a control key associating the control record with the field and at least one metadatum corresponding to the field, wherein the modifiable controls table can be modified to provide different or additional metadata for selectively extending the functionality of said database interface;
- a modifiable datatypes table associating a plurality of datatype indices with datatypes;
- a modifiable operators table associating a database operation with a database type index value and with a corresponding display operator;
- a modifiable displayable table associating a plurality of display names with a field of the database through the control key of the controls table, the plurality of display names each corresponding to a different language whereby the display name is multilingual; and
- a modifiable exchange rate table providing for conversion of monetary units for multilingual users.